



Product certificate **K6239/07**

Issued 2021-09-15

Replaces K6239/06

Page 1 of 3

Mechanical mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Carlo Nobili S.p.A. Rubinetterie

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K607 “Sanitary tapware – Mechanical mixers”, dated 10-10-2018,

which covers the requirements of

EN 817:2008 “Sanitary tapware – Mechanical mixing valves”

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.
Sir Winston Churchilllaan 273
P. O. Box 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company
Carlo Nobili S.p.A. Rubinetterie
Via Lagone 32
28021 BORGOMANERO
Italy
Tel. +39 0322 844555
Fax +39 0322 846489
info@nobili-spa.com
www.nobili-spa.com



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Mechanical mixers

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate:

Serie ABC

ABC 87118/2 Basin mixer
ABC 87338/2 Sink mixer with swivel spout

Franke
RFEC47117 Sink mixer
H5EC47113/1-RF Sink mixer

Serie NEW ROAD

RD 00118/1T2 Basin mixer
RD 00134 Sink mixer with swivel spout
RD 00137/1T2 Sink mixer with pull-out spout

Mechanical mixers

REMARK

The specified products were not yet assessed for compliance with all aspects as inserted in the “Drinkwaterbesluit” (Drinking Water Decree) and outlined in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening” (Materials and chemicals in the supply of drinking water and warm tap water regulation) dated 01-07-2017, as specified in clause 4.2 of the Kiwa guideline BRL-K607/05.

APPLICATION AND USE

The sanitary tapware “Mechanical mixers” are intended for application in drinking water installations with a static pressure of maximum 1000 kPa and a maximum water temperature of 90 °C. The recommended limits for correct operation are a dynamic pressure between 100 kPa and 500 kPa and a water temperature of maximum 65 °C.

MARKING

The Kiwa®-mark products are marked with the word mark “KIWA”.

Place of the mark:

- Kiwa on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication of the acoustic group, if classified: on the body;
- indication of the flow rate class, if classified: on the body;
- Indication for temperature selection.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Carlo Nobili S.p.A. , Rubinetterie
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.