


ELECTRONIC WASHBASIN TAP

AQUA131 | 2000067774

ARTICLE GROUP (AG) : AQUA131 | ARTICLE FAMILY (AF) : Electronic taps | PRODUCT GROUP (PG) : Taps | MODEL RANGE : AQUA



PROTRONIC-S battery-supplied washbasin tap with touch-free operation, DN 15, noise group I, with aerator and integrated flow control, for connection to pre-mixed warm or cold water supply, polished chromium-plated brass, 6 V battery.

TECHNICAL DATA

Calculation Flow Rate Cold Water	0.10 liter per seconds
Default Automatic Hygiene Flushing	NOT-ACTIVATED
Default Flow Time	60 s
Depressurised	NO
Functional Principle	ELECTRONIX-C
Gross Weight	1.88 kg
Diameter Nominal	DN-15-1-2INH
Material Fitting	BRASS
Minimum Flow Pressure	1.00 bar
Type Of Mixing	NO
Net Weight	1.62 kg
Power Supply Connection	BATTERY-6-V
Position Of Power Connection	BOTTOM
Protective System Ip	65
Protective Shutdown	YES
Sound Insulation	NO
Spout Projection	102.00 mm
Surface Finish Fitting	CHROMISED
Surface Material	CHROME
Thermal Disinfection	NO
Type Of Fitting	PILLAR-TAP
Type Of Mounting	MOUNTED-ON-PRODUCT
Type Of Operation	SENSOR-OPERATION
Type Of Sensor	OPTO-ELEC-SENSOR

Type Of Tap	PILLAR-TAB
Volume Flow Rate At 3 Bar	0.10 liter per seconds

ELECTRONIC WASHBASIN TAP

AQUA131 | 2000067774

ARTICLE GROUP (AG) : **AQUA131** | ARTICLE FAMILY (AF) : **Electronic taps** | PRODUCT GROUP (PG) : **Taps** | MODEL RANGE : **AQUA**

ACCESSORIES



REMOTE CONTROL UNIT

2000101087



AERATOR

2000101160

SIMILAR PARTS



ELECTRONIC WASHBASIN TAP

2000102697
