




Product Item Numbers



8.7 Schluter®-KERDI-LINE (stainless steel)		
3/4" - 19 mm frame height		1-1/8" - 30 mm frame height
Closed	Perforated grate	Tile Pan

Note: There are multiple selections to be made for this product. Start by selecting the appropriate flange length then proceed to grate selection accordingly, keeping in mind there are two frame height options and three grate options.



8.7 Schluter®-KERDI-LINE (bonding flange - stainless steel)		
L = in. - cm	L1 = in. - cm	Item No.
20 - 50	22 - 55	KLV 60 E 50
24 - 60	26 - 65	KLV 60 E 60
28 - 70	30 - 75	KLV 60 E 70
32 - 80	34 - 85	KLV 60 E 80
36 - 90	38 - 95	KLV 60 E 90
40 - 100	42 - 105	KLV 60 E 100
44 - 110	46 - 115	KLV 60 E 110
48 - 120	50 - 125	KLV 60 E 120

8.7 Schluter®-KERDI-LINE (grate assemblies)			
Length = in. - cm	Item No.		
	Closed	Perforated	Tile Pan
3/4" - 19 mm frame height (for 1/8" - 3 mm to 9/16" - 15 mm thick coverings)			
20 - 50	KLA 19 EB 50	KLB 19 EB 50	KLC 19 EB 50
24 - 60	KLA 19 EB 60	KLB 19 EB 60	KLC 19 EB 60
28 - 70	KLA 19 EB 70	KLB 19 EB 70	KLC 19 EB 70
32 - 80	KLA 19 EB 80	KLB 19 EB 80	KLC 19 EB 80
36 - 90	KLA 19 EB 90	KLB 19 EB 90	KLC 19 EB 90
40 - 100	KLA 19 EB 100	KLB 19 EB 100	KLC 19 EB 100
44 - 110	KLA 19 EB 110	KLB 19 EB 110	KLC 19 EB 110
48 - 120	KLA 19 EB 120	KLB 19 EB 120	KLC 19 EB 120
1-1/8" - 30 mm frame height (for 1/2" - 13 mm to 1" - 25 mm thick coverings)			
20 - 50	KLA 30 EB 50	KLB 30 EB 50	KLC 30 EB 50
24 - 60	KLA 30 EB 60	KLB 30 EB 60	KLC 30 EB 60
28 - 70	KLA 30 EB 70	KLB 30 EB 70	KLC 30 EB 70
32 - 80	KLA 30 EB 80	KLB 30 EB 80	KLC 30 EB 80
36 - 90	KLA 30 EB 90	KLB 30 EB 90	KLC 30 EB 90
40 - 100	KLA 30 EB 100	KLB 30 EB 100	KLC 30 EB 100
44 - 110	KLA 30 EB 110	KLB 30 EB 110	KLC 30 EB 110
48 - 120	KLA 30 EB 120	KLB 30 EB 120	KLC 30 EB 120



8.8 Schluter®-SHOWER-LS (shower tray - wall drain placement)

Item No.	Dimensions	End Height
KSL 1000 S	39" x 39" (100 cm x 100 cm)	1-21/32" - 42 mm
KSL 1400 S	55" x 55" (140 cm x 140 cm)	2" - 50 mm




8.8 Schluter®-SHOWER-L (shower tray - center drain placement)

Item No.	Dimensions	End Height
KSL 1000	39" x 39" (100 cm x 100 cm)	1-1/4" - 32 mm
KSL 1400	55" x 55" (140 cm x 140 cm)	1-13/32" - 36 mm




14.1 Schluter®-SHOWERPROFILE-S (two-part tapered edging profile)

Item No.	H = in. - mm	H1 = in. - mm	H2 = in. - mm
L = 47-1/4" - 1.2 m			
SPSA 50 EB/120	3/16 - 5	1/4 - 6	1-3/16 - 30
SPSA 100 EB/120	3/8 - 10	1/4 - 6	1-3/16 - 30
SPSA 125 EB/120	1/2 - 12.5	1/4 - 6	1-3/16 - 30
L = 63" - 1.6 m			
SPSA 50 EB/160	3/16 - 5	1/4 - 6	1-1/2 - 38
SPSA 100 EB/160	3/8 - 10	1/4 - 6	1-1/2 - 38
SPSA 125 EB/160	1/2 - 12.5	1/4 - 6	1-1/2 - 38




14.1 Schluter®-SHOWERPROFILE-R (two-part wall transition profile)

Item No.	Height
L = 39" - 1 m	
SPRA 23 EB/100	29/32" - 1-3/8" (23 mm - 35 mm)
SPRA 33 EB/100	1-5/16" - 1-25/32" (33 mm - 45 mm)
L = 55" - 1.4 m	
SPRA 23 EB/140	29/32" - 1-3/8" (23 mm - 35 mm)
SPRA 33 EB/140	1-5/16" - 1-25/32" (33 mm - 45 mm)






Closed Grate



Perforated Grate



Tile Pan Grate



P R O F I L E O F I N N O V A T I O N

Schluter Systems L.P. • 194 Pleasant Ridge Road, Plattsburgh, NY 12901-5841
Tel.: 1-800-472-4588 • Fax: 1-800-477-9783 • e-mail: info@schluter.com

Schluter Systems (Canada) Inc. • 21100 ch. Ste-Marie, Ste-Anne-de-Bellevue, QC H9X 3Y8
Tel.: 1-800-667-8746 • Fax: 1-877-667-2410 • e-mail: info@schluter.com

www.schluter.com