

THERMOCOLL

(REACH REGULATION (EC) No 1907/2006 – n° 453/2010)

1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY

1.1 PRODUCT IDENTIFIER

Name: Thermocoll
Product Code: 125217

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USED ADVISED AGAINST N/A

1.3 IDENTIFICATION OF THE SUPPLIERS

KERAMAB N.V.

Haverheidelaan 4
B-9140 TEMSE, Belgium
Tel. : + 32 (0)3 711.02.78
Fax : + 32 (0)3 711.08.56
Internet : www.keramab.com
E-mail : sales@keramab.com

INSULCON B.V.

The Netherlands
Tel.: +31 (0)167-565750

INSULCON GMBH

Germany
Tel.: +49 (0)2162 249 60-0

2. HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

The mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Skin irritation (Xi, R 38).

Eye irritation (Xi, R 36).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

Form: CS-002

Effective: 15012016/ND/an

Supersedes: 04032014/ES

All Rights Reserved

Page 1 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.

Tel:+31(0)167-565750
Fax:+31-(0)0167-566263

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.

Tel:+32(0)37110278
Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

Germany – Insulcon GmbH

Tel:+49(0)2162/24960-0
Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

2.2. LABEL ELEMENTS

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word:

WARNING

Hazard Statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

Precautionary statements – General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements – Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Precautionary statement – Response:

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P305 + P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses. If present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

2.3. OTHER HAZARDS

The mixture does not contain substances classified as “Substance of Very High Concern” (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH:

<http://echa.europa.eu/fr/candidate-list-table>

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Form: C5-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 2 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.

Tel:+31(0)167-565750

Fax:+31-(0)0167-566263

Germany – Insulcon GmbH

Tel:+49(0)2162/24960-0

Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.

Tel:+32(0)37110278

Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2. MIXTURES

Composition :

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 14808-60-7 Fibre Minerale Synthetique- Quartz	GHS08 Wng STOT RE 2, H373	Xn R: 48/20	(1)	0 <= x % < 2.5
INDEX: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Sodium Hydroxide	GHS05 Dgr Skin Corr. 1A, H314	C C; R35	(1)	0 <= x % < 2.5

Information on ingredients:

(1) Substance for which maximum workplace exposure limits are available.

4. FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

4.1. DESCRIPTION OF FIRST AID MEASURES

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc. If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

Form: CS-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 3 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.

Tel:+31(0)167-565750
Fax:+31-(0)0167-566263

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.

Tel:+32(0)37110278
Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

Germany – Insulcon GmbH

Tel:+49(0)2162/24960-0
Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Material Safety Datasheet

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

No data available.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No data available.

5. FIRE-FIGHTING MEASURES

Non-flammable.

5.1. EXTINGUISHING MEDIA

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO₂)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. ADVICE FOR FIREFIGHTERS

No data available.

6. ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Consult the safety measures listed under headings 7 and 8.

For non fire-fighters

Avoid any contact with the skin and eyes.

For fire-fighters

Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

Form: C5-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 4 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.

Tel:+31(0)167-565750

Fax:+31-(0)0167-566263

Germany – Insulcon GmbH

Tel:+49(0)2162/24960-0

Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.

Tel:+32(0)37110278

Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

6.2. ENVIRONMENTAL PRECAUTIONS

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Clean preferably with a detergent, do not use solvents.

6.4. REFERENCE TO OTHER SECTIONS

No data available.

7. HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. PRECAUTIONS FOR SAFE HANDLING

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorized personnel.

Recommended For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

Form: C5-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 5 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.

Tel:+31(0)167-565750

Fax:+31-(0)0167-566263

Germany – Insulcon GmbH

Tel:+49(0)2162/24960-0

Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.

Tel:+32(0)37110278

Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

7.3. SPECIFIC END USE(S)

No data available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA:	STEL: Ceiling:	Definition:	Criteria :
14808-60-7	0.05 mg/m ³	-	-	R
1310-73-2	-	2 mg/m ³	-	-

- France (INRS - ED984 :2008) :

CAS	VME-ppm :	VME-mg/m ³ :	VLE-ppm:	VLE-mg/m ³ :	Notes:	TMP No:
14808-60-7	-	0.1 A	-	-	-	25
1310-73-2	-	2	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS	TWA:	STEL: Ceiling:	Definition:	Criteria :
14808-60-7	0.3 mg/m ²	-	-	R
1310-73-2	-	2 mg/m ³	-	-

8.2. EXPOSURE CONTROLS

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):



Use personal protective equipment that is clean and has been properly maintained.
 Store personal protective equipment in a clean place, away from the work area.
 Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using.
 Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.
 Use eye protectors designed to protect against liquid splashes
 Before handling, wear safety goggles with protective sides accordance with standard EN166.
 In the event of high danger, protect the face with a face shield.
 Prescription glasses are not considered as protection.
 Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.
 Provide eyewash stations in facilities where the product is handled constantly.

Form: CS-002
 Effective: 15012016/ND/an
 Supersedes: 04032014/ES
 All Rights Reserved

Page 6 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.
 Tel:+31(0)167-565750
 Fax:+31-(0)0167-566263

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.
 Tel:+32(0)37110278
 Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

Germany – Insulcon GmbH
 Tel:+49(0)2162/24960-0
 Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374. Gloves must be selected according to the application and duration of use at the workstation. Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

General information:

Physical state: Viscous liquid.

Important health, safety and environmental information

pH:	Not relevant.
Boiling point/boiling range:	not relevant.
Flash point interval:	not relevant.
Vapour pressure (50°C):	not relevant.
Density:	> 1
Water solubility:	Insoluble.
Melting point/melting range:	not relevant.
Self-ignition temperature:	not relevant.
Decomposition point/decomposition range:	not relevant.

Form: C5-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 7 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.

Tel:+31(0)167-565750
Fax:+31-(0)0167-566263

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.

Tel:+32(0)37110278
Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

Germany – Insulcon GmbH

Tel:+49(0)2162/24960-0
Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

9.2. OTHER INFORMATION

No data available.

10. STABILITY AND REACTIVITY

10.1. REACTIVITY

No data available.

10.2. CHEMICAL STABILITY

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. CONDITIONS TO AVOID

10.5. INCOMPATIBLE MATERIALS

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO₂)

11. TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. Splashes in the eyes may cause irritation and reversible damage

11.1.1. SUBSTANCES

No toxicological data available for the substances.

11.1.2. MIXTURE

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 14808-60-7 : IARC Group 1 : The agent is carcinogenic to humans.

Form: C5-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 8 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.
Tel:+31(0)167-565750
Fax:+31-(0)0167-566263

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.
Tel:+32(0)37110278
Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

Germany – Insulcon GmbH
Tel:+49(0)2162/24960-0
Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

12. ECOLOGICAL INFORMATION

12.1. TOXICITY

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. PERSISTENCE AND DEGRADABILITY

No data available.

12.3. BIOACCUMULATIVE POTENTIAL

No data available.

12.4. MOBILITY IN SOIL

ENTIFICATION

No data available.

12.5. RESULTS OF PBT AND VPVB ASSESSMENT

No data available.

12.6. OTHER ADVERSE EFFECTS

No data available.

13. DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. WASTE TREATMENT METHODS

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals. Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Form: C5-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 9 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.

Tel:+31(0)167-565750
Fax:+31-(0)0167-566263

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.

Tel:+32(0)37110278
Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

Germany – Insulcon GmbH

Tel:+49(0)2162/24960-0
Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

14. TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2011 - IMDG 2010 - ICAO/IATA 2012).

15. REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

No data available.

- Particular provisions :

No data available.

15.2. CHEMICAL SAFETY ASSESSMENT

No data available.

16. OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measure to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirement relating to the mixture and not a guarantee of the properties thereof.

Form: C5-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 10 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.
Tel:+31(0)167-565750
Fax:+31-(0)0167-566263

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.
Tel:+32(0)37110278
Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

Germany – Insulcon GmbH
Tel:+49(0)2162/24960-0
Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Hazard symbols:



Irritant

Risk phrase :

R 36/38 Irritating to eyes and skin.

Safety phrase :

S 2 Keep out of the reach of children.

S 46 If swallowed, seek medical advice immediately and show this container or label.

S 25 Avoid contact with eyes.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek Medical advice.

S 37 Wear suitable gloves.

S 64 If swallowed, rinse mouth with water (only if the person is conscious).

Title for H, EUH and R indications mentioned in section 3:

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure .

R 35 Causes severe burns.

R 48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Abbreviations:

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS07: Exclamation mark

Form: C5-002
Effective: 15012016/ND/an
Supersedes: 04032014/ES
All Rights Reserved

Page 11 of 11

LD date: 13012015

The information, recommendations and opinions set forth herein are offered solely for your consideration, inquiry and verification, and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.

The Netherlands – Insulcon B.V.

Tel:+31(0)167-565750

Fax:+31-(0)0167-566263

Germany – Insulcon GmbH

Tel:+49(0)2162/24960-0

Fax:+49(0)2162-24960-29

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS

Belgium – Keramab N.V.

Tel:+32(0)37110278

Fax:+32(0)37110856

KERAMAB
LEADER IN HIGH TEMPERATURE SOLUTIONS

INSULCON
LEADER IN HIGH TEMPERATURE SOLUTIONS