



GENERAL INFORMATION

Please inspect the product immediately upon receipt for transit damage, missing packs/parts or manufacturing fault. Damage reported later cannot be accepted. Please handle the product with care avoiding knocks and shock loading to all sides and edges of the glass.

NOTES: Safety glass can not be re-worked

Please read these instructions carefully before start of installation.


Special care should be taken when drilling walls to avoid hidden pipes or electrical cables. Note: This product is heavy and may require two people to install.

AFTERCARE INSTRUCTIONS


After use, your shower should be cleaned with soap and water. This is particularly important in hard water districts where insoluble lime salts may be deposited and allowed to build up. Cleaners of a gritty or abrasive nature should not be used. Care should be taken to avoid contact with strong chemicals such as organic solvents and strippers.


Class cleaners can be used but with caution, if in doubt contact the manufacturer of the cleaner in question.


Please keep these instructions for aftercare and customer service details.





















900 863 888 1000 963 988 1100 1063 1088 1200 1163 1188	Ciza (mm)	L	
1000 963 988 1100 1063 1088 1200 1163 1188	Size (mm)	Min.	Max.
1100 1063 1088 1200 1163 1188	900	863	888
1200 1163 1188	1000	963	988
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1100	1063	1088
1400 1262 1200	1200	1163	1188
1400 1303 1300	1400	1363	1388
	1400	1000	1000
	1400	1000	1000
	1400	1000	
	1400	1000	
		1000	
	1400	1303	

Size (mm)	L Possibiliites (mm)
900	865 / 870 / 875
1000	965 / 970 / 975
1100	1065 / 1070 / 1075
1200	1165 / 1170 / 1175
1400	1365 / 1370 / 1375
	l Glass







For Flutted glass ,pls refer to the steps stated below :

